

Ecology of food borne microorganisms

- 1 Zink R, Loessner MJ, Scherer S** (1994) Supplementary Listeria typing with defective Listeria phage particles (monocins). *Letters of Applied Microbiology* 19,99-101.
- 2 Valdes-Stauber N, Scherer S** (1994) Isolation and characterization of Linocin M18, a bacteriocin produced by *Brevibacterium linens*. *Applied and Environmental Microbiology* 60,3809-3814.
- 3 Eppert I, Lechner E, Mayr R, Scherer S** (1995) Listerien und coliforme Keime in "echten" und "fehldeklarierten" Rohmilchweickäsen. *Archiv für Lebensmittelhygiene* 46,85-88.
- 4 Stewart GSBA, Loessner MJ, Scherer S** (1996) The bacterial lux gene bioluminescent biosensor revisited. *ASM News* 62:297-301. (R)
- 5 Valdés-Stauber N, Scherer S, Seiler H** (1997) Identification of yeasts and coryneform bacteria from the surface microflora of brick cheeses. *International Journal of Food Microbiology* 34,115-129.
- 6 Loessner MJ, Maier S, Schiwiek P, Scherer S** (1997) Long-chain polyphosphates inhibit growth of *Clostridium tyrobutyricum* in processed cheese spreads. *Journal of Food Protection* 60:493-498.
- 7 Kosse D, Seiler H, Amann R, Ludwig W, Scherer S** (1997) Identification of yoghurt-spoiling yeasts with 18S rRNA-targeted oligonucleotide probes. *Systematic and Applied Microbiology* 20:468-480.
- 8 Eppert I, Valdés-Stauber N, Götz H, Busse M, Scherer S** (1997) Growth reduction of *Listeria* spp. caused by undefined industrial red smear cultures and bacteriocin producing *Brevibacterium linens* evaluated in situ on soft cheese. *Applied and Environmental Microbiology* 63:4812-4817.
- 9 Loessner MJ, Rudolf M, Scherer S** (1997) Evaluation of luciferase reporter bacteriophage A511::luxAB for detection of *Listeria* in contaminated foods. *Applied and Environmental Microbiology* 63:2961-2965.
- 10 Stewart GSBA, Hill PJ, Loessner MJ, Scherer S** (1997) Bacterial bioluminescence - A forward perspective. In: *A practical guide to industrial uses of ATP-luminescence in rapid microbiology* (PE Stanley, ed, Cara Technology Ltd, Surrey, England. (R)
- 11 Kümmerle M, Scherer S, Seiler H** (1998) Rapid and reliable identification of food-borne yeasts by Fourier Transform Infrared (FT-IR) Spectroscopy. *Applied and Environmental Microbiology* 64:2207-2214.
- 12 Mayr R, Eppert I, Scherer S** (1999) Incidence and identification of psychrotrophic (7°C) *Bacillus* spp. in German HTST pasteurized mik. *Milk Science International* 54:26-30.
- 13 Carnio M, Eppert I, Scherer S** (1999) Analysis of the bacterial surface ripening flora of German and French smeared cheeses with respect to their anti-listerial potential. *International Journal of Food Microbiology* 47:89-97.
- 14 Maier S, Scherer S, Loessner M** (1999) Long-chain polyphosphate causes cell lysis and inhibits *Bacillus cereus* septum formation, which is dependent on divalent cations. *Applied and Environmental Microbiology* 65:3942-3949
- 15 Mayr R, von Stetten F, Francis KP, Scherer S** (1999) Significance of psychrotolerant spore formers in food spoilage and methodologies for their detection and identification. *Mitteilung der Lebensmittelhygiene* 90:42-61. (R)
- 16 Oberreuter H, Mertens F, Seiler H, Scherer S** (2000) Quantification of microorganisms in binary mixed populations by Fourier-Transform Infrared spectroscopy. *Letters in Applied Microbiology* 30,85-89
- 17 Rudolf M, Scherer S** (2000) Incidence of *Listeria* and *Listeria monocytogenes* in acid curd cheese. *Archives of Food Hygiene* 51:118-120

- 18 Carnio M, Höltzel A, Rudolf M, Henle T, Jung G, Scherer S** (2000) The macrocyclic peptide antibiotic micrococcin P1 is secreted by the food-borne *Staphylococcus equorum* WS2733 and inhibits *Listeria monocytogenes* on soft cheese. *Applied and Environmental Microbiology* 66:2378-2384
- 19 Rudolf M, Scherer S** (2001) High incidence of *Listeria monocytogenes* in European red smear cheese. *International Journal of Food Microbiology* 63:91-98
- 20 Carnio MC, Stachelhaus T, Francis KP, Scherer S** (2001) Pyridinyl Polythiazole Class Peptide Antibiotic Micrococcin P1, Secreted by Food-Borne *Staphylococcus equorum* WS 2733, is Biosynthesized Nonribosomally. *European Journal of Biochemistry* 268:6390-6400
- 21 Stenfors L, Mayr R, Scherer S, Granum PE** (2002) Pathogenic potential of fifty *Bacillus weihenstephanensis* strains. *FEMS Microbiology Letters* 215:47-51
- 22 Wenning M, Seiler H, Scherer S** (2002) Fourier-transform infrared microspectroscopy, a novel and rapid tool for identification of yeast. *Applied and Environmental Microbiology* 68:4717-4721
- 23 Maoz A, Mayr R, Bresolin G, Neuhaus K, Francis KP, Scherer S** (2002) Sensitive in situ monitoring of a recombinant bioluminescent *Yersinia enterocolitica* reporter mutant in real time on Camembert cheese *Applied and Environmental Microbiology* 68:5737-5740.
- 24 Loessner M, Günther S, Steffan S, Scherer S** (2003) A pediocin producing *Lactobacillus plantarum* inhibits *Listeria monocytogenes* in a complex cheese surface microbial ripening consortium. *Applied and Environmental Microbiology* 68:1854-1857
- 25 Oberreuter H, Brodbeck A, von Stetten S, Goerges S, Scherer S** (2003) Fourier-transform infrared (FT-IR) spectroscopy is a promising tool for monitoring the population dynamics of microorganisms in food stuff. *European Food Research and Technology* 216:434-439
- 26 Maoz A, Mayr R, Scherer S** (2003) Temporal stability and biodiversity of two complex, anti-listerial cheese ripening microbial consortia *Applied and Environmental Microbiology* 69:4012-4018
- 27 Mayer A, Seiler H, Scherer S** (2003) Isolation of bifidobacteria from food and human faeces and rapid identification by Fourier transform infrared spectroscopy. *Annals of Microbiology* 53:299-313
- 28 Mayr R, Fricker M, Maoz A, Scherer S** (2004) Anti-listerial activity and biodiversity of cheese surface cultures: influence of the ripening temperature regime. *Eur Food Res Technol* 218:242-247
- 29 Ehling-Schulz M, Fricker M, Scherer S** (2004) Identification of emetic toxin producing *Bacillus cereus* strains by a novel molecular assay. *FEMS Microbiology Letters* 232:189-195
- 30 Brennan NM, Cogan TM, Loessner M, Scherer S** (2004) Bacterial surface-ripened cheese. *Cheese - Chemistry, Physics and Microbiology* 2:199-225 (R)
- 31 Ehling-Schulz M, Fricker M, Scherer S** (2004) *Bacillus cereus*, the causative agent of an emetic type of food-borne illness. *Molecular Nutrition Food Research* 48:479-487
- 32 Ehling-Schulz M, Vukov N, Schulz A, Shaheen R, Andersson M, Märtilbauer E, Scherer S** (2005) Identification and partial characterization of the nonribosomal peptide synthetase gene responsible for cereulide production in emetic *Bacillus cereus*. *Applied and Environmental Microbiology* 71:105-113
- 33 Mounier J, Gelsomino R, Goerges S, Vancanneyt M, Scherer S, Swings J, Fitzgerald GF, Cogan TM** (2005) Surface microflora of four smear-ripened cheeses. *Applied and Environmental Microbiology* VOL 71, 11:6489-6500
- 34 Wenning M, Theilmann V, Scherer S** (2006) Rapid analysis of two food-borne microbial communities at the species level by Fourier-transform infrared microspectroscopy. *Environmental Microbiology* 8:848-857

- 35 Rebuffo CA, Schmitt J, Wenning M, Stetten von F, Scherer S** (2006) Reliable and rapid identification of *Listeria monocytogenes* and *Listeria* Species by artificial neural network-based Fourier transform infrared spectroscopy. *Applied and Environmental Microbiology* VOL 72, 2:994-1000
- 36 Müller-Hellwig S, Groschup MH, Pichner R, Gareis M, Märtlbauer E, Scherer S, Loessner MJ** (2006) Biochemical evidence for the proteolytic degradation of infectious prion protein PrP^{Sc} in hamster brain homogenates by foodborne bacteria. *Systematic and Applied Microbiology* 29:165-171
- 37 Goerges S, Aigner U, Silakowski B, Scherer S** (2006) Inhibition of *Listeria monocytogenes* by Food-Borne Yeasts. *Applied and Environmental Microbiology* 72:313-318
- 38 Scherbel C, Pichner R, Groschup MH, Müller-Hellwig S, Scherer S, Dietrich R, Märtlbauer E, Gareis M** (2006) Degradation of scrapie associated prion protein (PrP^{Sc}) by the gastrointestinal microbiota of cattle. *Vet.Res.* 37:695-703
- 39 Mounier J, Goerges S, Gelsomino R, Vancanneyt M, Vandemeulebroecke K, Hoste B, Brennan NM, Scherer S, Swings J, Fitzgerald GF, Cogan TM** (2006) Sources of the adventitious microflora of a smear-ripened cheese. *Journal of Applied Microbiology* 101:668-681
- 40 Ehling-Schulz M, Scherer S** (2007) Ein Keim kommt selten allein - *Bacillus cereus* als Krankheits- und Verderbniserreger in Lebensmitteln. *PdN-Bio* 56, 1:18-21
- 41 Fricker M, Messelhäuser U, Busch U, Scherer S, Ehling-Schulz M** (2007) Diagnostic real-time PCR assays for the detection of emetic *Bacillus cereus* strains in food and recent food-borne outbreaks. *Applied and Environmental Microbiology* 73, 6:1892-1898
- 42 Scherbel C, Pichner R, Groschup MH, Müller-Hellwig S, Scherer S, Dietrich R, Maertlbauer E, Gareis M** (2007) Infectivity of Scrapie Prion Protein (PrP^{Sc}) following *In vitro* Digestion with Bovine Gastrointestinal Microbiota. *Zoonoses Public Health* 54:185-190
- 43 Rea MC, Goerges S, Gelsomino R, Brennan NM, Mounier J, Vancanneyt M, Scherer S, Swings J, Cogan TM** (2007) Stability of the Biodiversity of the Surface Consortia of Gubbeen, a Red-Smear Cheese. *Journal Dairy Sciences* 90:2200-2210
- 44 Wenning M, Seiler H, Scherer S** (2007) Auch Bakterien haben Fingerabdrücke: Identifizierung von Mikroorganismen in der Lebensmittelindustrie mittels FTIR-Spektroskopie. *DMZ* 12:24-27
- 45 Wenning M, Scherer S** (2007) Schokolade. Holzappel W (Hrsg.) *Mikrobiologie der Lebensmittel: Lebensmittel pflanzlicher Herkunft*. Behr's Verlag, Hamburg 237-250
- 46 Rebuffo-Scheer C, Dietrich J, Wenning M, Scherer S** (2008) Identification of five *Listeria* species based on infrared spectra (FTIR) using macrosamples is superior to a microsample approach. *Anal. Bioanal. Chem.* 390:1629-1635
- 47 Goerges S, Mounier J, Rea MC, Gelsomino R, Heise V, Beduhn R, Cogan TM, Vancanneyt M, Scherer S** (2008) Commercial Ripening Starter Microorganisms Inoculated into Cheese Milk Do Not Successfully Themselves in the Resident Microbial Ripening Consortia of a South German Red Smear Cheese. *Applied and Environmental Microbiology* 74, 7:2210-2217
- 48 Wenning M, Scherer S, Naumann D** (2008) Infrared Spectroscopy in the Identification of Microorganisms. Diem M, Griffiths PR, Chalmers JM (eds) *Vibrational Spectroscopy for Medical Diagnosis*. John Wiley & Son Ltd. Chichester, England, 71-96
- 49 Büchl N, Wenning M, Seiler H, Mietke-Hofmann H, Scherer S** (2008) Reliable identification of closely related *Issatchenkia* and *Pichia* species using artificial neural network analysis of Fourier-transform infrared spectra. *Yeast* 25, 11:787-798
- 50 Scherer S, Ehling-Schulz M** (2008) *Bacillus cereus*: Wege zur Prävention der emetischen Toxinbildung in Lebensmitteln. In: "Von der Idee zum Projekt - vom Projekt in die Praxis". Dokumentation der 66. FEI-Jahrestagung 2008. Hrsg. Forschungskreis der Ernährungsindustrie Bonn, 61-72

- 51 Dommel MK, Frenzel E, Strasser B, Blöching C, Scherer S, Ehling-Schulz M (2010)** Identification of the main promoter directing cereulide biosynthesis in emetic *Bacillus cereus* and its application for real-time monitoring of ces gene expression in foods. *Applied and Environm. Microbiology*, Vol. 76, No. 4:1232-1240
- 52 Büchl NR, Hutzler M, Mietke-Hofmann H, Wenning M, Scherer S (2010)** Differentiation of probiotic and environmental *Saccharomyces cerevisiae* strains in animal feed. *Journal of Applied Microbiology* 109:783-791
- 53 Wenning M, Büchl NR, Scherer S (2010)** Species and strain identification of lactic acid bacteria using FTIR spectroscopy and artificial neural networks. *J. Biophoton* 3, No. 8-9:493-505
- 54 Bleicher A, Obermajer T, Matijašić BB, Scherer S, Neuhaus K (2010)** High biodiversity and potent anti-listerial action of complex red smear cheese microbial ripening consortia. *Annals of Microbiol* 60:531-539
- 55 Bleicher A, Stark T, Hofmann T, Bogovi Matijašić B, Rogelj I, Scherer S, Neuhaus K (2010)** Potent antilisterial cell-free supernatants produced by complex red-smear cheese microbial consortia. *Journal of Dairy Science* 93, No. 10:4497-4505
- 56 Kaufmann V, Scherer S, Kulozik U (2010)** Verfahren zur Verlängerung der Haltbarkeit von Konsummilch und ihre stofflichen Veränderungen: ESL-Milch. *Journal für Verbraucherschutz und Lebensmittelsicherheit* 5:59-64
- 57 Ehling-Schulz M, Knutson R, Scherer S (2011)** *Bacillus cereus*. Fratamico P, Liu Y and Kathariou S eds.: *Genomes of Foodborne and Waterborne Pathogens*. ASM Press, Washington, Chapter 11, 147-164
- 58 Dommel MK, Lücking G, Scherer S, Ehling-Schulz M (2011)** Transcriptional kinetic analyses of cereulide synthetase genes with respect to growth, sporulation and emetic toxin production in *Bacillus cereus*. *Food Microbiology* 28:284-290
- 59 Larpin-Larborde S, Imran M, Bonaiti C, Bora N, Gelsomino R, Goerges S, Irlinger F, Goodfellow M, Ward AC, Vancanneyt M, Swings J, Scherer S, Guéguen M, Desmasures N (2011)** Surface microbial consortia from Livarot, a French smear-ripened cheese. *Can J Microbiol* 57(8):651-660
- 60 Wenning M, Scherer S, Mietke-Hofmann H (2011)** Differenzierung von probiotischen und ubiquitären Milchsäurebakterien und aeroben Sporenbildnern aus Futtermitteln mittels FTIR-Spektroskopie: In *Differenzierung probiotischer Bakterien*, Schriftreihe des Sächsischen Landesamt für Umwelt, Landwirtschaft und Geologie, Dresden, Heft 26:1-35
- 61 Büchl NR, Wenning M, Scherer S, Mietke-Hofmann H (2011)** Differenzierung von probiotischen und ubiquitären Hefen aus Futtermitteln - Anwendung der Fourier-Transform-Infrarot (FT-IR)-Spektroskopie in der Futtermittelmikrobiologie: In *Hefendifferenzierung aus Futtermitteln*, Schriftreihe des Sächsischen Landesamt für Umwelt, Landwirtschaft und Geologie, Dresden, Heft 31:1-34
- 62 Schmidt VS, Kaufmann V, Kulozik U, Scherer S, Wenning M (2012)** Microbial biodiversity, quality and shelf life of microfiltered and pasteurized extended shelf life (ESL) milk from Germany, Austria and Switzerland. *Int J Food Microbiol* 154:1-9
- 63 Stark T, Marxen S, Rüttschle A, Lücking G, Scherer S, Ehling-Schulz M, Hofmann T (2012)** Mass spectrometric profiling of *Bacillus cereus* strains and quantitation of the emetic toxin cereulide by means of stable isotope dilution analysis and Hep-2 bioassay. *Anal Bioanal Chem* 405(1):191-201
- 64 Wenning, M, Scherer S (2013)** Identification of microorganisms by FTIR spectroscopy: perspectives and limitations of the method. *Appl Microbiol Biotechnol* 97:7111-7120

- 65 Cogan TM, Goerges S, Gelsomino R, Larpin S, Hohenegger M, Bora N, Jamet E, Rea MC, Mounier J, Vancanneyt M, Guéguen M, Desmasures N, Swings J, Goodfellow M, Ward AC, Sebastiani H, Irlinger F, Chamba J-F, Beduhn R, Scherer S** (2014) Biodiversity of the Surface Microbial Consortia from Limburger, Reblochon, Livarot, Tilsit and Gubbeen Cheeses. *Microbiol Spectrum* 2(1):CM-0010-2012
- 66 Wenning M, Breitenwieser F, Konrad R, Huber I, Busch U, Scherer S** (2014) Identification and Differentiation of food-related bacteria: A comparison of FTIR spectroscopy and MALDI-TOF mass spectrometry. *Journal of Microbiological Methods* 103:44-52
- 67 Mühlig A, Kabisch J, Pichner R, Scherer S, Müller-Herbst S** (2014) Contribution of the NO-detoxifying enzymes HmpA, NorV and NrfA to nitrosative stress protection of *Salmonella* Typhimurium in raw sausages. *Food microbiology* 42:26-33
- 68 Mühlig A, Behr J, Scherer S, Müller-Herbst S** (2014) Stress response of *Salmonella enterica* Serovar Typhimurium to acidified nitrite. *Appl Environ Microbiol* Vol. 80, 20:6373-6382
- 69 Marxen S, Stark TD, Frenzel E, Rüttschle A, Lücking G, Pürstinger G, Pohl EE, Scherer S, Ehling-Schulz M, Hofmann T** (2015) Chemodiversity of cereulide, the emetic Toxin of *Bacillus cereus*. *Analytical and Bioanalytical Chemistry* 407:2439-2453
- 70 Jeßberger N, Krey VM, Rademacher C, Böhm M-E, Mohr A-K, Ehling-Schulz M, Scherer S, Märtlbauer E** (2015) From genome to toxicity: a combinatory approach highlights the complexity of enterotoxin production in *Bacillus cereus*. *Frontiers in Microbiology* 6, Article 560
- 71 Marxen S, Stark TD, Rüttschle A, Lücking G, Frenzel E, Scherer S, Ehling-Schulz M, Hofmann T** (2015) Depsipeptide intermediates interrogate proposed biosynthesis of cereulide, the emetic Toxin of *Bacillus cereus*. *Science Report* 5:10637
- 72 von Neubeck M, Baur C, Krewinkel M, Stoeckel M, Kranz B, Stressler T, Fischer L, Hinrichs J, Scherer S, Wenning M** (2015) Biodiversity of refrigerated raw milk microbiota and their enzymatic spoilage potential. *Int. J Food Microbiol* 211:57-65
- 73 Baur C, Krewinkel M, Kutzli I, Kranz B, von Neubeck M, Huptas C, Wenning M, Scherer S, Stoeckel M, Hinrichs J, Stressler T and Fischer L** (2015) Isolation and characterisation of a heat-resistant peptidase from *Pseudomonas panacis* withstanding general UHT processes. *Int Dairy J* 49: 46-55.
- 74 Baur C, Krewinkel M, Kutzli I, Kranz B, von Neubeck M, Wenning M, Scherer S, Stoeckel M, Hinrichs J, Stressler T and Fischer L** (2015) Quantification of the proteolytic and lipolytic activity of microorganisms isolated from raw milk. *Int Dairy J* 49: 23-29
- 75 Krewinkel M, Baur C, Kranz B, von Neubeck M, Wenning M, Scherer S, Stoeckel M, Hinrichs J, and Fischer L** (2015) A sensitive and robust method for direct determination of lipolytic activity in natural milk environment. *Food Anal Methods*, Vol. 9, 3:646-655
- 76 Marxen S, Stark TD, Rüttschle A, Lücking G, Frenzel E, Scherer S, Ehling-Schulz M, Hofmann T** (2015) Multiparametric quantitation of the *Bacillus cereus* toxins cereulide and isocereulides A-G in Foods. *Journal of Agricultural and Food Chemistry* 63:8307-8313
- 77 Müller-Herbst St, Wüstner S, Kabisch J, Pichner R, Scherer S** (2016) Acidified nitrite inhibits proliferation of *Listeria monocytogenes* – Transcriptional analysis of a preservation method. *Intern. Journal of Food Microbiology* 226:33-41
- 78 Stoeckel M, Friedl N, Achberger V, Lidolt M, Glück C, Krewinkel M, Stressler T, von Neubeck M, Wenning M, Scherer S, Fischer L and Hinrichs J** (2016) Growth of *Pseudomonas* weihenstephanensis, *Pseudomonas proteolytica* and *Pseudomonas* sp. in raw milk: Impact of residual heat-stable enzyme activity on stability of UHT milk during shelf-life. *Int Dairy J* 59: 20-28

79 Glück C, Rentschler E, Krewinkel M, Merz M, von Neubeck M, Wenning M, Scherer S, Stoeckel M, Hinrichs J, Stressler T and Fischer L (2016) Thermostability of peptidases secreted by raw milk associated microorganisms. Int Dairy J 56: 186-197.